

マグネステン金網在庫表

2009/06/05現在

| 在庫 | 線径 mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|-------|------|------|-------|------|
| | 1.00 | 3 | 1000 | 7.47 | 77.8 |
| | 1.00 | | 2310 | 7.47 | 77.8 |
| | 1.60 | 3.5 | 1000 | 6.25 | 74.3 |
| | 1.20 | | 1000 | 6.06 | 69.7 |
| | 1.60 | 4 | 1000 | 5.45 | 73.7 |
| | 0.90 | | 1100 | 5.35 | 71.0 |
| | 1.00 | 4.5 | 1550 | 5.35 | 71.0 |
| | 1.00 | | 1000 | 5.15 | 65.8 |
| | 1.20 | 5 | 1000 | 4.54 | 64.8 |
| | 1.10 | | 1000 | 4.28 | 71.0 |
| | 0.80 | 5.5 | 1000 | 4.08 | 64.5 |
| | 1.00 | | 2040 | 4.08 | 64.5 |
| | 1.00 | 6 | 1000 | 3.98 | 61.4 |
| | 1.10 | | 1000 | 3.72 | 64.7 |
| | 1.20 | 7 | 1000 | 3.62 | 61.4 |
| | 0.90 | | 1000 | 3.42 | 54.8 |
| | 0.70 | 8 | 1000 | 3.53 | 69.5 |
| | 0.80 | | 1000 | 3.43 | 65.6 |
| | 0.80 | 9 | 1250 | 3.43 | 65.6 |
| | 0.90 | | 1000 | 3.33 | 61.9 |
| | 1.20 | 9 | 1000 | 3.03 | 51.2 |
| | 0.70 | | 1000 | 2.92 | 65.2 |
| | 0.70 | 9 | 1250 | 2.92 | 65.2 |
| | 0.80 | | 1000 | 2.83 | 60.8 |
| | 1.00 | 9 | 1000 | 2.63 | 52.5 |
| | 1.00 | | 1000 | 2.39 | 49.8 |
| | 0.53 | 9 | 1000 | 2.64 | 69.4 |
| | 0.57 | | 1000 | 2.60 | 67.2 |
| | 0.70 | 9 | 1000 | 2.48 | 61.0 |
| | 0.70 | | 1250 | 2.48 | 61.0 |
| | 0.80 | 9 | 1000 | 2.38 | 56.0 |
| | 0.90 | | 1000 | 2.28 | 51.6 |
| | 1.00 | 9 | 1000 | 2.18 | 47.0 |
| | 1.20 | | 1000 | 1.98 | 38.9 |
| | 0.80 | 9 | 1250 | 2.02 | 51.2 |

マグネステン金網在庫表

2009/06/05現在

| 在庫 | 線径 mm | メッシュ | 幅 mm | 目開きmm | 開孔率% | |
|----|-------|---------|------|-----------|------|------|
| | 0.40 | 10 | 1000 | 2.14 | 71.0 | |
| | 0.50 | | 1000 | 2.04 | 64.5 | |
| | 0.50 | | 1250 | 2.04 | 64.5 | |
| | 0.50 | | 1550 | 2.04 | 64.5 | |
| △ | 0.50 | | 2000 | 2.04 | 64.5 | |
| | 0.57 | | 1000 | 1.97 | 60.2 | |
| | 0.60 | | 1000 | 1.94 | 58.3 | |
| | 0.60 | | 1250 | 1.94 | 58.3 | |
| | 0.70 | | 1000 | 1.84 | 52.5 | |
| | 0.70 | | 1550 | 1.84 | 52.5 | |
| | 0.80 | | 1000 | 1.74 | 46.9 | |
| | 0.80 | | 1250 | 1.74 | 46.9 | |
| | 0.80 | | 1550 | 1.74 | 46.9 | |
| | 1.00 | | 1000 | 1.54 | 36.8 | |
| | 0.75 | | 10.5 | 1000 | 1.70 | 48.1 |
| | 0.50 | | 11 | 1000 | 1.81 | 60.8 |
| | 0.40 | 12 | 1000 | 1.72 | 66.0 | |
| | 0.47 | | 1000 | 1.65 | 60.5 | |
| | 0.50 | | 1000 | 1.62 | 58.6 | |
| | 0.50 | | 1250 | 1.62 | 58.6 | |
| | 0.55 | | 1050 | 1.57 | 55.5 | |
| | 0.55 | | 2000 | 1.57 | 55.5 | |
| | 0.60 | | 1000 | 1.52 | 51.6 | |
| △ | 0.70 | | 1000 | 1.42 | 44.9 | |
| △ | 0.70 | | 1250 | 1.42 | 44.9 | |
| | 0.70 | | 1550 | 1.42 | 44.9 | |
| | 1.00 | 12/10.2 | 1220 | 1.12/1.49 | | |
| | 0.40 | 14 | 1000 | 1.41 | 60.9 | |
| | 0.40 | | 1220 | 1.41 | 60.9 | |
| △ | 0.40 | | 1520 | 1.41 | 60.9 | |
| | 0.45 | | 1250 | 1.36 | 56.2 | |
| | 0.50 | | 1000 | 1.31 | 52.1 | |
| | 0.55 | | 1000 | 1.26 | 48.2 | |
| | 0.60 | | 1000 | 1.21 | 44.5 | |
| | 0.60 | | 1250 | 1.21 | 44.5 | |
| | 0.63 | | 1000 | 1.18 | 42.3 | |
| | 0.63 | | 1530 | 1.18 | 42.3 | |

マグネステン金網在庫表

2009/06/05現在

| 在庫 | 線径 mm | メッシュ | 幅 mm | 目開きmm | 開孔率% | |
|----|-------|------|-------|-------|------|------|
| | 0.40 | 16 | 1000 | 1.19 | 56.2 | |
| | 0.40 | | 1550 | 1.19 | 56.2 | |
| | 0.45 | | 1000 | 1.14 | 51.6 | |
| | 0.45 | | 1250 | 1.14 | 51.6 | |
| | 0.47 | | 1000 | 1.12 | 49.6 | |
| | 0.50 | | 1000 | 1.09 | 47.1 | |
| | 0.50 | | 1520 | 1.09 | 47.1 | |
| | 0.55 | | 1050 | 1.04 | 42.9 | |
| | 0.60 | | 1050 | 0.99 | 39.5 | |
| | 0.60 | | 1250 | 0.99 | 39.5 | |
| | 0.60 | | 1550 | 0.99 | 39.5 | |
| | 0.63 | | 1550 | 0.96 | 36.4 | |
| | 0.70 | | 1550 | 0.89 | 35.5 | |
| | 0.30 | | 18 | 1000 | 1.11 | 61.9 |
| | 0.35 | | | 1000 | 1.06 | 56.4 |
| | 0.40 | 1000 | | 1.01 | 51.2 | |
| | 0.40 | 1250 | | 1.01 | 51.2 | |
| | 0.43 | 1000 | | 0.98 | 48.3 | |
| | 0.50 | 1000 | | 0.91 | 41.6 | |
| | 0.57 | 1550 | | 0.84 | 35.5 | |
| | 0.25 | 20 | 1000 | 1.02 | 64.5 | |
| | 0.25 | | 1250 | 1.02 | 64.5 | |
| | 0.25 | | 1550 | 1.02 | 64.5 | |
| | 0.25 | | 2000 | 1.02 | 64.5 | |
| | 0.27 | | 1250 | 1.00 | 62.0 | |
| | 0.30 | | 1000 | 0.970 | 58.3 | |
| | 0.33 | | 1000 | 0.940 | 54.8 | |
| | 0.33 | | 1250 | 0.940 | 54.8 | |
| | 0.35 | | 1050 | 0.920 | 52.5 | |
| | 0.35 | | 1250 | 0.920 | 52.5 | |
| | 0.35 | | 1550 | 0.920 | 52.5 | |
| | 0.38 | | 1250 | 0.890 | 49.1 | |
| | 0.40 | | 1000 | 0.870 | 46.9 | |
| | 0.40 | | 1550 | 0.870 | 46.9 | |
| | 0.43 | | 1030 | 0.840 | 43.7 | |
| | 0.43 | | 1550 | 0.840 | 43.7 | |
| | 0.45 | | 1000 | 0.820 | 41.7 | |
| | 0.45 | | 1250 | 0.820 | 41.7 | |
| | 0.50 | 1550 | 0.770 | 36.7 | | |

マグネステン金網在庫表

2009/06/05現在

| 在庫 | 線径 mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|-------|------|------|-------|-------|
| | 0.45 | 22 | 1250 | 0.705 | 37.3 |
| | 0.45 | | 1550 | 0.705 | 37.3 |
| | 0.21 | 24 | 1000 | 0.848 | 64.2 |
| | 0.25 | | 1000 | 0.808 | 56.6 |
| | 0.30 | | 1000 | 0.758 | 51.3 |
| | 0.30 | | 1250 | 0.758 | 51.3 |
| | 0.30 | | 1550 | 0.758 | 51.3 |
| | 0.33 | | 1220 | 0.728 | 47.3 |
| | 0.35 | | 1000 | 0.708 | 44.8 |
| | 0.35 | | 1250 | 0.708 | 44.8 |
| | 0.35 | | 1550 | 0.708 | 44.8 |
| | 0.40 | | 1250 | 0.658 | 38.7 |
| | 0.40 | | 1550 | 0.658 | 38.7 |
| △ | 0.35 | | 26 | 1000 | 0.627 |
| | 0.35 | 1250 | | 0.627 | 41.4 |
| | 0.40 | 1000 | | 0.577 | 34.9 |
| | 0.40 | 1550 | | 0.577 | 34.9 |
| | 0.29 | 28 | 2000 | 0.617 | 46.2 |
| | 0.30 | | 1550 | 0.607 | 44.8 |
| | 0.32 | | 1000 | 0.587 | 41.9 |
| | 0.32 | | 1250 | 0.587 | 41.9 |
| | 0.19 | 30 | 1000 | 0.657 | 60.2 |
| | 0.22 | | 2040 | 0.626 | 54.7 |
| | 0.25 | | 1000 | 0.597 | 49.7 |
| | 0.25 | | 1220 | 0.597 | 49.7 |
| △ | 0.25 | | 1600 | 0.597 | 49.7 |
| △ | 0.25 | | 2000 | 0.597 | 49.7 |
| | 0.27 | | 1000 | 0.577 | 46.4 |
| | 0.30 | | 1000 | 0.547 | 41.7 |
| | 0.30 | | 1250 | 0.547 | 41.7 |
| | 0.32 | | 1000 | 0.527 | 38.7 |
| △ | 0.33 | | 1250 | 0.517 | 37.3 |
| | 0.35 | | 1050 | 0.497 | 34.4 |
| | 0.35 | | 1250 | 0.497 | 34.4 |
| | 0.35 | | 1520 | 0.497 | 34.4 |
| | 0.25 | 32 | 1000 | 0.544 | 46.9 |
| | 0.27 | | 1550 | 0.524 | 43.6 |
| | 0.29 | | 1000 | 0.504 | 40.3 |
| | 0.29 | | 1250 | 0.504 | 40.3 |
| △ | 0.29 | | 1550 | 0.504 | 40.3 |

マグネステン金網在庫表

2009/06/05現在

| 在庫 | 線径 mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|-------|------|--------|-------|-------|
| | 0.23 | 35 | 1000 | 0.496 | 46.7 |
| | 0.25 | | 1250 | 0.471 | 42.0 |
| | 0.27 | | 1000 | 0.456 | 39.5 |
| | 0.30 | | 1000 | 0.426 | 34.4 |
| | 0.30 | | 1250 | 0.426 | 34.4 |
| | 0.32 | | 1550 | 0.406 | 31.2 |
| | 0.21 | 36 | 1000 | 0.495 | 49.2 |
| | 0.23 | | 1000 | 0.475 | 45.4 |
| | 0.12 | 40 | 1000 | 0.515 | 65.8 |
| | 0.15 | | 1000 | 0.485 | 58.3 |
| | 0.15 | | 1550 | 0.485 | 58.3 |
| | 0.18 | | 1000 | 0.455 | 51.3 |
| | 0.18 | | 1250 | 0.455 | 51.3 |
| | 0.19 | | 1250 | 0.445 | 49.1 |
| | 0.21 | | 1000 | 0.425 | 44.8 |
| | 0.21 | | 1250 | 0.425 | 44.8 |
| | 0.21 | | 1550 | 0.425 | 44.8 |
| | 0.23 | | 1000 | 0.405 | 40.7 |
| | 0.25 | | 1000 | 0.385 | 36.8 |
| | 0.25 | | 1250 | 0.385 | 36.8 |
| | 0.25 | | 1600 | 0.385 | 36.8 |
| | 0.29 | | 1000 | 0.345 | 29.5 |
| | 0.30 | | 40(綾織) | 1000 | 0.335 |
| | 0.17 | 42 | 1550 | 0.435 | 51.7 |
| | 0.25 | | 1000 | 0.355 | 34.4 |
| | 0.25 | | 1250 | 0.355 | 34.4 |
| | 0.25 | | 1550 | 0.355 | 34.4 |
| | 0.26 | | 1250 | 0.345 | 32.5 |
| | 0.26 | | 1550 | 0.345 | 32.5 |
| | 0.17 | 45 | 1800 | 0.394 | 48.8 |
| | 0.21 | | 1000 | 0.354 | 39.4 |
| | 0.23 | 48 | 1000 | 0.299 | 31.9 |
| | 0.23 | | 1550 | 0.299 | 31.9 |
| | 0.12 | 50 | 1000 | 0.388 | 58.3 |
| | 0.12 | | 1500 | 0.388 | 58.3 |
| | 0.14 | | 1000 | 0.368 | 52.4 |
| | 0.14 | | 1250 | 0.368 | 52.4 |
| | 0.15 | | 1000 | 0.358 | 49.7 |
| | 0.15 | | 1250 | 0.358 | 49.7 |
| | 0.15 | | 1530 | 0.358 | 49.7 |

マグネステン金網在庫表

2009/06/05現在

| 在庫 | 線径 mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|-------|------|-------|-------|------|
| | 0.153 | 50 | 1000 | 0.355 | 48.8 |
| | 0.18 | | 1250 | 0.328 | 41.2 |
| | 0.19 | | 1060 | 0.318 | 39.2 |
| | 0.19 | | 1600 | 0.318 | 39.2 |
| | 0.21 | | 1000 | 0.298 | 34.4 |
| | 0.21 | | 1250 | 0.298 | 34.4 |
| | 0.21 | | 1550 | 0.298 | 34.4 |
| | 0.15 | 55 | 1000 | 0.312 | 45.6 |
| | 0.10 | 60 | 1000 | 0.323 | 58.3 |
| | 0.12 | | 1000 | 0.303 | 51.3 |
| | 0.12 | | 1550 | 0.303 | 51.3 |
| | 0.15 | | 1000 | 0.273 | 41.7 |
| | 0.15 | | 1250 | 0.273 | 41.7 |
| | 0.15 | | 1550 | 0.273 | 41.7 |
| | 0.17 | | 1250 | 0.253 | 35.8 |
| | 0.18 | | 1000 | 0.243 | 33.0 |
| | 0.18 | | 1250 | 0.243 | 33.0 |
| | 0.18 | | 1550 | 0.243 | 33.0 |
| | 0.18 | | 2200 | 0.243 | 33.0 |
| | 0.19 | | 1120 | 0.233 | 30.4 |
| | 0.19 | | 1250 | 0.233 | 30.4 |
| | 0.19 | 1550 | 0.233 | 30.4 | |
| | 0.152 | 65 | 1250 | 0.240 | 38.0 |
| | 0.10 | 70 | 1000 | 0.263 | 52.5 |
| | 0.12 | | 1000 | 0.243 | 44.8 |
| | 0.12 | | 1220 | 0.243 | 44.8 |
| | 0.15 | | 1000 | 0.213 | 34.4 |
| | 0.15 | | 2000 | 0.213 | 34.4 |
| | 0.153 | | 1250 | 0.210 | 33.5 |
| | 0.152 | | 1550 | 0.210 | 33.5 |
| | 0.10 | 80 | 1000 | 0.218 | 46.9 |
| | 0.10 | | 1550 | 0.218 | 46.9 |
| | 0.12 | | 1000 | 0.198 | 38.7 |
| | 0.12 | | 1240 | 0.198 | 38.7 |
| | 0.14 | | 1000 | 0.178 | 31.3 |
| | 0.14 | | 1550 | 0.178 | 31.3 |
| | 0.13 | 83 | 1220 | 0.176 | 33.0 |
| | 0.10 | 90 | 1000 | 0.182 | 41.7 |
| | 0.13 | | 1250 | 0.152 | 29.1 |

マグネステン金網在庫表

2009/06/05現在

| 在庫 | 線径 mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|-------|----------|------|-------|------|
| | 0.10 | 100 | 1000 | 0.154 | 36.8 |
| | 0.10 | | 1550 | 0.154 | 36.8 |
| | 0.105 | | 1250 | 0.150 | 34.4 |
| | 0.08 | 120 | 1550 | 0.132 | 38.7 |
| | 0.09 | 120 (綾織) | 1000 | 0.122 | 33.0 |
| | 0.09 | | 1525 | 0.122 | 33.0 |

在庫はその都度御確認ください。

真鍋工業株式会社